



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1. Product identifier

Product name: **BIOMOP**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent for floors – concentrated cleaning and degreasing solution for floors– professional use.

Use descriptor system (REACH):

SU22 (Professional uses)

1.3. Details of the supplier of the safety data sheet

Registered company name: OXY'PHARM
Address: 829 Rue Marcel Paul, 94500 Champigny sur Marne, FRANCE.
Phone: +33.1.45.18.78.70
E-mail : commercial@oxypharm.net
<http://www.oxypharm.net/>

1.4. Emergency telephone number:

Country	Emergency telephone number	Website
UK - England, Wales	111	http://www.nhs.uk/
UK - Scotland	111	http://www.nhs24.com/
UK - Northern Ireland	18000 or 999	http://www.qpoutofhours.hscni.net/
Ireland	01 809 2166	http://www.poisons.ie/

Other emergency numbers

In case of emergency, call nearest poison center or 112.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with Regulation (EC) No.1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with Regulation (EC) No.1272/2008 and its amendments.



Hazard pictograms:

DANGER

Signal Word: DANGER

Product identifier: Hydrogen peroxide – acetic acid

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Additional labelling:

None

2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) as defined by criteria of article 57 of REACH (Regulation EC No.1907/2006) at concentration $\geq 0.1\%$ - list published by the European Chemicals Agency (ECHA) as per article 59 of REACH: (<http://echa.europa.eu/fr/candidate-list-table>).

The mixture does not contain any PBT or vPvB substances as defined in annex XIII of the REACH Regulation (EC) No.1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable (mixture).

3.2. Mixtures

Composition:

INDEX	CAS No.	CE No.	Name	Pictogram	Classification	% w/w
008-003-00-9	7722-84-1	231-765-0	Hydrogen peroxide*/**	GHS03 GHS05 GHS07 Danger	H271 H302 H314 H332	15
607-002-00-6	64-19-7	200-580-7	Acetic acid*/***	GHS02 GHS05 Danger	H226 H314	x < 15
-	34590-94-8	252-104-2	Dipropylene glycol monomethyl ether*	-	Not classified	x < 10

* Substance for which a workplace exposure limit exists.

** Specific limits: H271: C ≥ 70 %
H272: 50 % ≤ C < 70 %
H314 (1A): C ≥ 70 %
H314 (1B): 50 % ≤ C < 70 %
H315: 35 % ≤ C < 50 %
H318: 8 % ≤ C < 50 %
H319: 5 % ≤ C < 8 %
H335: C ≥ 35 %

*** Specific limits: H314 (1A): 25 % ≤ C < 90 %
H314 (1B): C ≥ 90 %
H315: 10 % ≤ C < 25 %
H319: 10 % ≤ C < 25 %

Other data:

No data available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing if the victim is unconscious.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In case of discomfort, remove the exposed person to fresh air. Keep warm and at rest. Consult a doctor if symptoms appear.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water during several minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately. Wash skin with soap and water.

If pain, redness or irritation occurs, seek medical attention.

In the event of swallowing:

In case of massive ingestion, consult a doctor showing the label; keep the exposed person at rest. Do not induce vomiting.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Do not give anything orally.

4.2. Most important symptoms and effects, both acute and delayed

No data available for the product.

Information for hydrogen peroxide 50% (CAS No.7722-84-1) are reported below:

Effect on the skin:

Causes caustic burns. With increasing contact length, local erythema or extreme irritation (whitening) up to blistering (caustic burn) can occur.

Effect on the eyes:

Extreme irritation up to cauterisation. Can cause severe conjunctivitis, cornea damage or irreversible eye damage. Symptoms may occur with delay.

Effect when swallowed:

Swallowing can lead to bleeding of the mucosa in the mouth, oesophagus and stomach.

The rapid releasing of oxygen can cause distension and bleeding of the mucosa in the stomach and lead to severe damage of the internal organs, especially in the event of greater intake of the product.

Effect when inhaled:

Inhalation of vapour/aerosols can lead to irritation of the respiratory tract and cause inflammation of the respiratory tract and pulmonary oedema. Symptoms may occur with delay.

4.3. Indication of any immediate medical attention and special treatment needed

Specific and immediate treatment:

No data available.

Information for the doctor:

No data available.

SECTION 5: FIREFIGHTING MEASURES

Contains 15% of hydrogen peroxide (oxidising substance).

5.1. Extinguishing media

In case of fire, use specifically adapted extinguishing media.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder / BC powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- oxygen (O₂)
- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult safety advice of sections 7 and 8.

For non first aid worker

Avoid any contact with skin and eyes.

In case of accidental release of large quantities, evacuate staff and allow access only to trained operators equipped with self-contained breathing apparatus.

Ensure adequate ventilation.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with detergent, avoid the use of solvents.

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid any contact with skin and eyes.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Storage/Packaging

Keep in original container tightly closed in a dry, well-ventilated area at ambient temperature between 5° and 30°C.

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS No.	CE No.	Name	Country	Occupational exposure limits	Source
7722-84-1	231-765-0	Hydrogen peroxide	UK	Limit value (8h) = 1 ppm - 1.4 mg/m ³ Limit value (short term) = 2 ppm - 2.8 mg/m ³	GESTIS ILV
			Ireland	Limit value (8h) = 1 ppm - 1.5 mg/m ³ Limit value (short term) = 2* ppm - 3* mg/m ³	GESTIS ILV
64-19-7	200-580-7	Acetic acid	UK	**Limit value (8h) = 10 ppm - 25 mg/m ³ ** value (short term) = 15 ppm - 37 mg/m ³	GESTIS ILV
			Ireland	Limit value (8h) = 10 ppm - 25 mg/m ³ Limit value (short term)* = 15 ppm - 37 mg/m ³	GESTIS ILV
			EU	Limit value (8h) = 10 ppm - 25 mg/m ³ Limit value (short term)* = 20 ppm - 50 mg/m ³	GESTIS ILV
34590-94-8	252-104-2	Dipropylène glycol monométhyl éther	UK	Limit value (8h) = 50 ppm - 308 mg/m ³	GESTIS ILV
			Ireland	Limit value (8h) = 50 ppm - 308 mg/m ³	GESTIS ILV
			EU	Limit value (8h) = 50 ppm - 308 mg/m ³	2000/39/CE

*15 minutes reference period

** The UK Advisory Committee on Toxic Substances has expressed concern that, for these OELs, health may not be adequately protected because of doubts that the limit was not soundly-based. These OELs were included in the published UK 2002 list and its 2003 supplement, but were omitted from editions published from 2005 onwards.

Biological limits:

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

Hydrogen peroxide (CAS No.7722-84-1):

Worker:

Inhalation / acute toxicity – local effects: 3 mg/m³
Inhalation / long term toxicity– local effects: 1.4 mg/m³

Consumer:

Inhalation / acute toxicity – local effects: 1.93 mg/m³
Inhalation / long term toxicity– local effects: 0.21 mg/m³

Predicted no effect concentration (PNEC):

Hydrogen peroxide (CAS No.7722-84-1):

Fresh water:	0,0126 mg/L
Marine water:	0,0126 mg/L
Water – intermittent releases:	0,0138 mg/L
Sewage treatment plant:	4,66 mg/L
Fresh water sediment:	0,47 mg/kg (dry weight)
Marine sediment:	0,47 mg/kg (dry weight)
Soil:	0,0023 mg/kg (dry weight)

8.2. Exposure controls

Suitable technical inspections:

Ensure adequate ventilation, especially in confined areas.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.
Store personal protective equipment in a clean place, away from the work area.
Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.
Ensure adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.
Use eye protectors designed to protect against liquid splashes.
Before handling, wear safety goggles with protective sides accordance with standard EN166.
In the event of high danger, protect the face with a face shield.
Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Avoid skin contact.
Wear suitable protective gloves in accordance with standard EN374.

- Body protection

Avoid skin contact.
Work clothing worn by personnel shall be laundered regularly.
After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Ensure adequate ventilation, especially in confined areas.

- Thermal risks

Not applicable.

Exposure controls linked to environmental protection

No data available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state:	Liquid (fluid)
Odour:	Slight acetic
Colour:	White

Important health, safety and environmental information

pH (mixture):	3.0 ± 0.5
Melting point/melting range:	Not determined
Freezing point:	Not determined
Boiling point/boiling range:	Not determined
Flash point:	Not determined
Evaporation rate:	Not determined
Flammability:	Not determined
Lower/upper flammability limits:	Not determined
Lower/upper explosive limits:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Density:	Not determined
Solubility:	Not determined
Octanol/water partition coefficient:	Not determined
Self-ignition temperature:	Not determined
Decomposition point:	Not determined
Viscosity:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide, carbon dioxide, fumes and nitrogen oxides.

Hydrogen peroxide (15% in product) is an oxidizing and reactive substance. The commercial product is stabilized to reduce the risk of decomposition.

Risk of decomposition to heat.

Risk of exothermic decomposition and formation of oxygen in case of contact with incompatible or combustible substances.

Mixing with organic substances (solvents) can induce explosive properties.

10.4. Conditions to avoid

Avoid direct sunlight, high temperatures.

10.5. Incompatible materials

Avoid contact with metals, metal salts, acids, bases, reducing agents, flammable substances, organic solvents.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- oxygen (O₂)
- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11: TOXICOLOGICAL INFORMATION

May cause reversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1. Information on toxicological effects

11.1.1. Substances

Not applicable (mixture).

11.1.2. Mixture

No toxicological data available for the mixture.

The product is classified as skin irritant (Skin irritation, Category 2 (Skin Irrit. 2, H315) and for serious eye damage, Category 1 (Eye Dam. 1, H318), classification by conventional calculation method.

Acute toxicity:

The product is not classified (conventional method by calculation).

Hydrogen peroxide 50% (CAS No.7722-84-1):

Oral, rat: LD₅₀ > 225 mg/kg (OECD No.401)

Inhalation, rat: LC₅₀ > 0.17 mg/L (4h) – no mortality (US EPA)

Hydrogen peroxide 70% (CAS No.7722-84-1):

Dermal, rabbit: LD₅₀ > 6 500 mg/kg

Hydrogen peroxide 35% (CAS No.7722-84-1):

Dermal, rabbit: LD₅₀ > 2 000 mg/kg (US EPA)

Skin corrosion/skin irritation:

The product is classified as skin irritant (Skin irritation, Category 2 (Skin Irrit. 2, H315), classification by conventional calculation method).

Hydrogen peroxide (CAS No.7722-84-1):

H314 (1A): C ≥ 70 %

H314 (1B): 50 % ≤ C < 70 %

H315: 35 % ≤ C < 50 %

Acetic acid (CAS No.64-19-7):

H314 (1A): 25 % ≤ C < 90 %

H314 (1B): C ≥ 90 %

H315: 10 % ≤ C < 25 %

Serious damage to eyes/eye irritation:

The product is classified for serious eye damage, Category 1 (Eye Dam. 1, H318), classification by conventional calculation method.

Hydrogen peroxide (CAS No.7722-84-1):

H318: 8 % ≤ C < 50 %

Acetic acid (CAS No.64-19-7):

H314 (1A): 25 % ≤ C < 90 %

H314 (1B): C ≥ 90 %

H319: 10 % ≤ C < 25 %

Respiratory or skin sensitisation:

The product is not classified for sensitisation (conventional method by calculation).

Germ cell mutagenicity:

No data available for the mixture, however no hazard is expected with regard to its components.

Hydrogen peroxide (CAS No.7722-84-1):

Genotoxicity *in vitro*:

Bacterial reverse mutation assay S. typhimurium / E. coli: positive and negative with or without metabolic activation

Chromosomal aberration mammalian cells: positive without metabolic activation (OECD No.473)

Genetic mutation in mammal cells: positive without metabolic activation (OECD No.476)

Hydrogen peroxide 35% (CAS No.7722-84-1):

Genotoxicity *in vivo*:

Micronucleus test Mouse intraperitoneal: negative (OECD No.474)

Carcinogenicity:

No data available for the mixture, however no hazard is expected with regard to its components.

Reproductive toxicant:

No data available for the mixture, however no hazard is expected with regard to its components.

Specific target organ systemic toxicity - single exposure:

The product is not classified (conventional method by calculation).

Hydrogen peroxide (CAS No.7722-84-1):

H335; C ≥ 35 %

Specific target organ systemic toxicity - repeated exposure:

The product does not contain any substance classified for this hazard.

Hydrogen peroxide 35% (CAS No.7722-84-1):

Oral, mouse, 90 days: NOEL = 37 mg/kg (female) – 26 mg/kg (male) (OECD No.408)

Changes of parameters of the blood, body weight development negative, irritative effect (gastrointestinal tract)

Aspiration hazard:

The product does not contain any substance classified for this hazard.

The product is not classified (conventional method by calculation).

Symptoms related to the physical, chemical and toxicological characteristics

No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data available.

Interactive effects

No data available.

Absence of specific data

No data available.

Other information

No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

Not applicable (mixture).

12.1.2. Mixture

No aquatic toxicity information is available for the mixture.

This mixture is classified as hazardous for the environment (classification by calculation):

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

The product must not be allowed to run into drains or waterways.

Hydrogen peroxide (CAS No.7722-84-1):

Acute toxicity:

Fish: semi-static test, *Pimephales promelas*:

LC₅₀ = 16,4 mg/L (96 h)

Invertebrates: semi-static test, *Daphnia pulex*:

EC₅₀ = 2,4 mg/L (48 h)

Algae: static test, *Skeletonema costatum*:

NOEC = 0,63 mg/L (72 h) – growth rate

Bacteria: activated sludge test:

EC₅₀ = 466 mg/L (30 min); > 1000 mg/L (3 h) (OECD No.209)

Chronic toxicity:

Invertebrates: flow-through, *Daphnia magna*:

NOEC = 0,63 mg/L (21 days)

12.2. Persistence and degradability

No data available for the mixture.

Hydrogen peroxide (CAS No.7722-84-1): readily degradable.

Acetic acid (CAS No.64-19-7): readily degradable.

12.3. Bioaccumulative potential

No data available for the mixture.

Hydrogen peroxide (CAS No.7722-84-1): no bioaccumulative potential (rapid decomposition into oxygen and water).

12.4. Mobility in soil

No data available for the mixture.

12.5. Results of PBT and vPvB assessment

The mixture does not contain any PBT nor vPvB substance.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC, Decision 2014/955/EU and Directive (EU) 2015/1127.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Completely empty container. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

3098

(For ADR (2.2.8.1.9), "Substances, solutions and mixtures which are not classified as skin-corrosive or for corrosive for metals Category 1 according to Regulation (EC No.1272/2008) may be considered as substances not belonging to Class 8".

The product may be classified in UN 3139 - OXIDIZING LIQUID, N.O.S. (Contains Hydrogen Peroxide and Acetic Acid) - PG III).

14.2. UN proper shipping name

UN3098=OXIDIZING LIQUID, CORROSIVE, N.O.S. (Contains Hydrogen Peroxide and Acetic Acid)

(For ADR only, UN 3139 - OXIDIZING LIQUID, N.O.S. (Contains Hydrogen Peroxide and Acetic Acid))

14.3. Transport hazard class(es)

- Classification: 5.1+8



(For ADR only,)

14.4. Packing group

III

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
UN3098	5.1	OC1	III	5.1+8	-	5 L	274	E1	3	E
ADR UN3139	5.1	O1	III	5.1	-	5 L	274	E1	3	E

IMDG	Class	2° Label.	Pack gr.	LQ	EMS	Provis.	EQ
	5.1	8	III	5 L	F-A,S-Q	223 274	E1

IATA	Class	2° Label.	Pack gr.	Passager	Passager	Cargo	Cargo	Note	EQ
	5.1	8	III	551	2.5 L	555	30 L	A3	E1
	5.1	8	III	Y541	1 L	-	-	A3	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- Regulation EC No.1272/2008 and its modifications

Container information:

No data available.

Particular provisions:

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

NOEC: No Observed Effect Concentration

EC₅₀: Effective Concentration, 50 %

LC₅₀: Lethal Concentration, 50 %

LD₅₀: Lethal Dose, 50 %

PBT: Persistent, bioaccumulable and toxic.

vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.

Revision:

A vertical line in the left margin indicates a change to the previous version.

This version replaces all previous versions.